

Skylineslim

Skyline Slim+ 200W LED Floodlight - 4000K

Part Code: 10992

The Skyline Slim+ LED Floodlight is suitable for a wide range of applications. Available in a vast range of wattages, this low energy floodlight is ideal for any lighting project, big or small.

- Marine Grade Aluminium body
- Fully encapsulated IP65 TUV certified driver
- 10/20/30/50W versions are genuine replacements for Halogen Floodlights
- 70/100/150/200W versions are genuine replacements for Metal Halide Floodlights
- Average 8M detection range for PIR Floods



5 Year
Guarantee



50,000
Life Hours



IK8
Rated



IP65
Rated



Skylineslim



Product Category Fittings / LED Floodlights

Application Exterior Lighting

Product Warranty 5 Years

EAN 5013588109923

Commodity Code 9405423990

Country of Origin CN

Technical Specification

Watts (W)	200
Equivalent Watts (W)	400
Volts (V)	240
Colour Temp (K)	4000
Lumens (lm)	25908
Lumens per Watt (lm/W)	130
CRI (ra)	80
Frequency (Hz)	50/60
LED Drive Current	1850mA
Energy Consumption (kWh/1000h)	200
Life Hours	50000
Switching Cycles	25000
Impact Protection	IK08
IP Rating	IP65
Operating Temperature	-30°C to +35°C
Lumens Maintenance Ratio	L80 B10

Packaging Information

Height (mm)	410
Width (mm)	355
Depth (mm)	60
Individual Product Weight (kg)	4.86
Single Carton Height (mm)	355
Single Carton Width (mm)	70
Single Carton Depth (mm)	416
Single Carton Weight (kg)	5.12888
Individual Volume	0.01034
Outer Box Qty	2
Outer Carton Barcode	1099200000002
Outer Box Height (mm)	360
Outer Box Width (mm)	148
Outer Box Depth (mm)	424
Outer Box Weight (kg)	10.70593
Outer Box Volume	0.02259
UNSPSC Code	39111626
Minimum Order Quantity	1

skyline slim

Additional Information

Beam Angle	110°
Power Factor	>0.9
Windage	0.112m ²
LED Chip	Phillips
Flex	1m