

DATA SHEET

Ceiling mounted occupancy detectors

PD2-M-1C



white mat, similar to

white mat, similar to

white mat, similar to RAL9010, Part No. 92550 RAL9010, Part No. 92555 RAL9010, Part No. 92565

Product Information

- Occupancy detector with one potential-free dry contact
- · Version as master device
- One channel for light switching
- Extension of the detection area with slave devices possible
- Manual switching via push-button possible
- Additional functions can be set up using the optional remote control.
- Factory settings 10 min and 500 lux
- Typical applications:

Offices, conference rooms, schools, nursery schools, hospitals

Technical Data

110 - 240 V AC 50 / 60 Hz Voltage:

Dimensions: SM= Ø 98 x 47 mm

> FM= Ø 98 x 65 mm FC= Ø 80 x 85 mm

Power consumption: approx. 0.4 W

Detection area: vertical 360°

Range: max. Ø 10 m across

> max. Ø 6 m towards max. Ø 4 m seated

Monitored area 79 m² / 2.5 m mounting height

(tangential movement):

Mounting height 2 m / 5 m / 2.5 m

min./max./recommended:

Degree / class of SM= IP20 / Class II protection: FM= IP20 / Class II

FC= IP20 / Class II

Ambient temperature: -25 °C to +50 °C

Housing: Polycarbonate, UV-resistant

Channel 1 (lighting control, potential-free (dry))

Switching power: 2300 W, $\cos \varphi = 1$

1150 VA, $\cos \varphi = 0.5$

300 W LED

max. inrush current Ip (20 ms) = 165 A max. inrush current Ip (200 μ s) = 800 A

Type of contact: $1x \mu$ -contact, dry NO contact with tungsten pre-make contact

Follow-up time: 15 sec – 30 min, Pulse

Switch-on threshold: 10 - 2000 Lux

Mixed light measuring

Description

Description	Colour	Part number	EAN number
PD2-M-1C-SM	white mat, similar to RAL9010	92550	4007529925506
PD2-M-1C-FM	white mat, similar to RAL9010	92555	4007529925551
PD2-M-1C-FC	white mat, similar to RAL9010	92565	4007529925650


Accessory

Description	Colour	Part number	EAN number
IR-Adapter for Smartphones	black	92726	4007529927265
IR-PD-1C	-	92520	4007529925209
IR-PD-1C-E	-	92077	4007529920778
IR-PD-Mini	-	92159	4007529921591
Wire basket BSK (Ø 200 x 90 mm)	white	92199	4007529921997
RC-Arc extinction kit	white	10880	4007529108800
Mini-RC-Arc extinction kit	black	10882	4007529108824

Description Colour Part number **EAN** number white


SM socket IP54 for PD2-/ PD4-SM

4007529921614 92161



Dimensions 92565


Dimensions 92555



Dimensions 92550

Range diagram

- 1: Walking across
- 2: Walking towards
- 3: Seated activity



Wiring diagram

© 2020 B.E.G. Brück Electronic GmbH