



## Disco EVO 1



- Slim and modern bulkhead suitable for residential, commercial and industrial applications as well as ancillary areas
- High efficiency up to 145lm/W
- All polycarbonate construction with opal diffuser and white trim ring with optional chrome, satin chrome or black trim ring accessories
- CCT selectable between 3000K, 4000K and 6500K and power selectable; offering a choice of 3 outputs, in one luminaire
- Gear tray located on the bezel, allowing the base to be installed and then the bezel connected, this coupled with 4x 20mm conduit entry points on base ensure a quick and simple installation
- Two options of microwave sensor emergency
- Instant light output and unlimited switching

### General Information

Lamp Type	LED
IP Rating	IP65
IK Rating	IK08
Class Protection	2
Internal / External	Internal / External



Surface / Recessed / Suspended	Surface
Warranty (Years)	5
Material	Polycarbonate,PP
Technical Information	
Wattage	4W - 7W
Lumens Delivered	(4000K) 4W: 480lm 5W: 700lm 7W: 950lm
Lm/W	(4000K) 4W: 120lm/W 5W: 140lm/W 7W: 140lm/W
Beam Angle	110
CRI	80
CCT	3000/4000/6500K
Input	220/240V
Hertz	50/60Hz
Operating Temp	-20°C to 40°C
Lumen Depreciation	L70 54,000h
Power Factor	0.5

