

# ST210

## Suretime Photocell Automatic Light Switch - 2 Wire

### Features & Benefits

- Automatic Light Switch with Photocell - 2 Wire
- Replaces existing 1 or 2 way light switches - 2 Wire
- Turns lights on at dusk ,off automatically 2,4,6,8 hours later or until dawn manual on/off switch
- Red LED indication when switch is set to any On-time duration
- IP40 Weatherproof rated
- Supports single or two-way switching.
- Adjustable lux level to suit installation area.
- LED compatible (with use of the ZV900 load controller).
- Concealed controls for lux and light on time after dusk.



### Technical Data

Operating Voltage	230V AC
Frequency	50Hz
Installation Type	Surface
Earth Class Rating	Class II
Operating Temperature	-20°C to 40°C
Ingress Protection Rating	IP20
Connection	2-Wire
Setting Type	Dial

# Data sheet

## ST210

Light / PIR Presence Detectors

Approved Mounting Height (m)	1.1
Back Box Minimum Depth (mm)	25
Switch type	One Way Switching
Mounting Hole Centres (mm)	60
Standby Consumption	<1W
Number of Channels	1
Switch rating	5W - 300W LED (With ZV900 Adapter), 300W Halogen, 18W - 150W Fluorescent (Low-loss or Electronic Ballast), 15W - 100W CFL
ON Time Adjustment	2, 4, 6, 8 Hours or Dusk Till Dawn
Lux Level	1 to 10
Permanent ON Facility	Yes (Slider Switch)
Dusk Till Dawn	Yes
Multiple Unit Support	No
Cable Entry(s)	Back Entry

### General

Weight (g)	114
Height (mm)	86
Width (mm)	86
Depth (mm)	50
Protruding Depth (mm)	27
Body Construction	Polycarbonate
Product Colour	White
Accessories (Included)	Screws
EAN Number	5012483015063
Guarantee Period	2 Years
Trade Tariff Commodity Code	8536508090

## Line Diagrams

